

Median and mean grade: ~ 21 = ~ 85

Affiliation
N/A

Question 1: Indicate whether you are from other or in Columbia.



Question 2: If 'Other,' please specify

Helpfulness
Please rank the following in terms of their assistance to you in preparing for the exam.

Question 1: Class Lectures



Question 2: Homework assignments from the text



Question 3: Recitation section



Question 4: Multiple choice homework assignments



Question 5: Other (please specify):

Question 6: Comments:



CourseWorks

N/A

Question 1: Courseworks worked well for me to obtain information on the course syllabus and exam materials.



Question 2: Comments



Exam

Exam
N/A

Question 1: On the average, how many hours per week have you spent preparing for the course by reading, studying for quizzes or completing homework assignments?



Question 2: Please indicate your opinion of the exam.

The exam covered materials that were stressed in the homework.



Question 3: The exam covered materials that were stressed in the lectures.



Question 4: The exam covered materials that were stressed in the practice multiple choice questions.



Question 5: The exam covered materials that were stressed in the recitation sections.



Question 6: Based on the information presented concerning the exam, the exam was fair.



Study Methods

N/A

Question 1: Indicate whether you studied for this course most often



Ratings

N/A

Question 1: Instructor: Organization and Preparation

Question 2: Instructor: Approachability



Question 3: Course: Amount Learned



Question 4: Course: Appropriateness of Workload



Question 5: Course: Overall Quality



Question 6: Quality of Textbook



Question 7: Comments:

Tentative material to be covered for Exam 2 (Wednesday, October 27)

Chapter 16	**Quantum Mechanics and the Hydrogen Atom**
16.1	**Waves and Light**
16.2	**Paradoxes in Classical Physics**
16.3	**Planck, Einstein, and Bohr**
16.4	**Waves, Particles, and the Schroedinger Equation**
16.5	**The Hydrogen Atom**
Chapter 17	**Many-Electron Atoms and Chemical Bonding**
17.1	**Many-Electron Atoms and the Periodic Table**
17.2	**Experimental Measures of Orbital Energies**
17.3	**Sizes of Atoms and Ions**
17.4	**Properties of the Chemical Bond**
17.5	**Ionic and Covalent Bonds**
17.6	**Oxidation States and Chemical Bonding**
Chapter 18	**Molecular Orbitals, Spectroscopy, and Chemical Bonding**
18.1	**Diatomic Molecules**
18.2	**Polyatomic Molecules**
18.3	**The Conjugation of Bonds and Resonance Structures**
18.4	**The Interaction of Light with Molecules**
18.5	**Atmospheric Chemistry and Air Pollution**

Chapter 16 Quantum Mechanics and the Hydrogen Atom

16.1 Waves and Light
- Atomic Spectra I

16.2 Paradoxes in Classical Physics
- Ultraviolet Catastrophe
- Photoelectric effect

16.3 Planck, Einstein, and Bohr
- Planck's Constant, Quanta and Photons
- Bohr Atom
- Atomic Spectra II

16.4 Waves, Particles, and the Schroedinger Equation
- Schroedinger Equation (Wave Equation)

16.5 The Hydrogen Atom
- Sizes and Shapes of Orbitals
- Electron Spin

What is matter?

Lucretius: ca 99-55 BC

All *matter* consists of tiny fundamental building blocks, ***atoms***

All nature consists of twain of things: of *atoms* and of the void in which they're set.

"DE RERUM NATURA"
(Everything you wanted to know about the universe but were afraid to ask!)

John Dalton 1766-1844

All matter is composed of small indivisible particles termed *atoms*. Atoms of a given element possess unique characteristics and weight.

"A New System of Chemical Philosophy"

Paradigm: Matter consists of tiny particles called atoms.

What is light?

God said: Let there be light..

..And there was light (and matter and energy and space).

How does light carry energy get from place to place? Like a particle or like a wave?



And in the beginning…

Emedocles (500 BC) postulated that Aphrodite made the human eye out of the four elements (fire, air, earth and water) and that she lit the fire in the eye which shone out from the eye making sigh



Lucretius (50 BC) postulated that light is composed of minute atoms which, when they are shoved off, lose no time is shooting right across the interspace of air in the direction imparted by the shove.

Paradigm I: Light consists of consists of tiny particles similar to atoms

Paradigm of 1700s: Light consists of particles (energy is propagated by particles which are highly localized in space)

Issac Newton
1643-1727

Light consists of particles whose motion imparts them with energy. White light can be broken down into components, different colors from violet to red by the action of a prism.



The prism: White light can be decomposed into its“elements”, its colors

Paradigm II: *Light consists of particles that carry energy and which can be decomposed into components.*

Paradigm (1800s): Light consists of waves (energy propagated by waves): Energy is spread over space like an oscillating liquid.

Key equations:

$c = \lambda\nu$ λ (Gk lambda), ν (Gk nu)

c = speed

λ = wavelength, ν = frequency

James Clerk Maxwell
1831-1879

Paradigm III: Light is an electromagnetic wave

λ

Energy proportional to the Amplitude of wave.

Low frequency



High frequency



The electromagnetic spectrum from g-rays to radio waves



The visible portion of the electromagnetic specrum

Paradox I

The Ultraviolet Catastrophe

Paradigm III. Cannot explain the wavelenght dependence of the intensity (I) of the light that is emitted from a simple heated object (an idealized "black body" that absorbs all light)!

I (Intensity) proportional to ν

I (Intensity) proportional to λ

I (Intensity)goes to infinity as λ goes to zero!

Experiment: Maximum





Max Planck
Nobel Prize 1918
“for his explanation of the ultraviolet catastrophe”, namely **E = hν**, the energy of light is bundled and comes in quanta.

Planck explains the ultraviolet catastrophe by quantizing the energy of light.
Light can only have energies given by hν





Planck was here at Columbia!



COLUMBIA UNIVERSITY IN THE CITY OF NEW YORK
PUBLICATION NUMBER THREE
OF THE ERNEST KEMPTON ADAMS FUND FOR PHYSICAL RESEARCH
ESTABLISHED DECEMBER 17TH, 1904

EIGHT LECTURES ON THEORETICAL PHYSICS

DELIVERED AT COLUMBIA UNIVERSITY
IN 1909

BY

MAX PLANCK

PROFESSOR OF THEORETICAL PHYSICS IN THE UNIVERSITY OF BERLIN
LECTURER IN MATHEMATICAL PHYSICS IN COLUMBIA UNIVERSITY FOR 1909

TRANSLATED BY

A. P. WILLS

PROFESSOR OF MATHEMATICAL PHYSICS IN COLUMBIA UNIVERSITY

NEW YORK
COLUMBIA UNIVERSITY PRESS
1915

Paradox II: The Photoelectric Effect

A beam of light hitting a metal surface can cause electrons to be ejected from the surface.

Classical Paradigm: the energy of the ejected electrons should be proportional to the intensity of the light and independent of the frequency of the light.

Experiment: the energy of the ejected electrons is independent of the intensity and depends directly on the frequency.





Albert Einstein
Nobel Prize 1921
"For his explanation of the photoelectric effect", namely, $E_2 - E_1 = h\nu$, light is quantized as photons.

Red light is "inert" to kicking out electrons

Blue light kicks out electrons!





The slope of KE_{Max} vs ν is h!!!!!


Kinetic energy of ejected electron, E_K
5.05×10^{14} Hz (593 nm)
5.44×10^{14} Hz (551 nm)
5.56×10^{14} Hz (539 nm)
Rb
K
Na
Slope = h
Φ/h
–Φ
Frequency of incident radiation, ν


Energy
Kinetic energy of electron, $\frac{1}{2}m_e v^2$
Energy brought by photon, $h\nu$
Energy needed to remove electron, Φ

The Bohr Atom and the Absorption and Emission of Light

The emission from discharge lamps



Putting It All together: The Bohr Atom

Niels Bohr
Nobel Prize 1922
"the structure of atoms and the radiation emanating from them"

Light is emitted when an electron jumps from a higher orbit to a lower orbit and absorbed when it jumps from a lower to higher orbit.

The energy and frequency of light emitted or absorbed is given by the difference between the two orbit energies, e.g.,

$E(photon) = E_2 - E_1$ (Energy difference)



The basis of all photochemistry and spectroscopy!



$E_2 - E_1 = h\nu$

Photon absorbed



Photon emitted



Bohr atom: Light absorption occurs when an electron absorbs a photon and makes a transition for a lower energy orbital to a higher energy orbital. Absorption spectra appear as sharp lines.

Bohr atom: Light emission occurs when an electron makes a transition from a higher energy orbital to a lower energy orbital and a **photon is emitted.** **Emission spectra appear as**

Energy & Resonance: The Bohr Atom





$E_2 - E_1 = h\nu$

Photon Absorbed



Photon Emitted

410.1 nm **434.0 nm** **486.1 nm** **656.3 nm**

Bohr atom: Light absorption occurs when an electron absorbs a photon and makes a transition for a lower energy orbital to a higher energy orbital. ***Absorption spectra appear as sharp lines.***

Bohr atom: Light emission occurs when an electron makes a transition from a higher energy orbital to a lower energy orbital and a **photon is emitted.** ***Emission spectra appear as sharp lines.***

Energy & Resonance: The Bohr Atom





$E_2 - E_1 = h\nu$

Photon Absorbed



Photon Emitted

410.1 nm 434.0 nm 486.1 nm 656.3 nm

Bohr atom: Light absorption occurs when an electron absorbs a photon and makes a transition for a lower energy orbital to a higher energy orbital. ***Absorption spectra appear as sharp lines.***

Bohr atom: Light emission occurs when an electron makes a transition from a higher energy orbital to a lower energy orbital and a **photon is emitted.** ***Emission spectra appear as sharp lines.***


n
∞
0
3
$-\frac{1}{9}h\mathcal{R}$
Balmer
series
2
$-\frac{1}{4}h\mathcal{R}$
Energy
Lyman
series
$-h\mathcal{R}$
1



Schematic of the Experiment



You'll see something like this somewhere in the auditorium.

Let's do an experiment: Look at the discharge lamps through the diffraction glasses. They work just like a prism and break up light into its components. Notice the dark spots between the "lines" of the different colors. The number and positions of the lines are the unique signature of the elements. A lab experiment. Note the number and color of the lines. See if you can identify the element.


A
B
Energy



Schroedinger: If electrons are waves, their postion and motion in space must obey a wave equation.

Solutions of wave equations yield wavefunctions, Ψ, which contain the information required to describe ALL of the properties of the wave.

TABLE 1.2 Hydrogen Wavefunctions (Atomic Orbitals), $\psi = RY$

(a) Radial wavefunctions, $R_{nl}(r)$

n	l	$R_{nl}(r)$
1	0	$2\left(\frac{Z}{a_0}\right)^{3/2} e^{-Zr/a_0}$
2	0	$\frac{1}{2\sqrt{2}}\left(\frac{Z}{a_0}\right)^{3/2}\left(2 - \frac{Zr}{a_0}\right)e^{-Zr/2a_0}$
	1	$\frac{1}{2\sqrt{6}}\left(\frac{Z}{a_0}\right)^{3/2}\left(\frac{Zr}{a_0}\right)e^{-Zr/2a_0}$
3	0	$\frac{1}{9\sqrt{3}}\left(\frac{Z}{a_0}\right)^{3/2}\left(3 - \frac{2Zr}{a_0} + \frac{2Z^2r^2}{9a_0^2}\right)e^{-Zr/3a_0}$
	1	$\frac{2}{27\sqrt{6}}\left(\frac{Z}{a_0}\right)^{3/2}\left(2 - \frac{Zr}{3a_0}\right)e^{-Zr/3a_0}$
	2	$\frac{4}{81\sqrt{30}}\left(\frac{Z}{a_0}\right)^{3/2}\left(\frac{Zr}{a_0}\right)^2 e^{-Zr/3a_0}$

(b) Angular wavefunctions, $Y_{lm_l}(\theta,\phi)$

l	"m_l"*	$Y_{lm_l}(\theta,\phi)$
0	0	$\left(\frac{1}{4\pi}\right)^{1/2}$
1	x	$\left(\frac{3}{4\pi}\right)^{1/2} \sin\theta\cos\phi$
	y	$\left(\frac{3}{4\pi}\right)^{1/2} \sin\theta\sin\phi$
	z	$\left(\frac{3}{4\pi}\right)^{1/2} \cos\theta$
2	xy	$\left(\frac{15}{16\pi}\right)^{1/2} \sin^2\theta\cos 2\phi$
	yz	$\left(\frac{15}{4\pi}\right)^{1/2} \cos\theta\sin\theta\sin\phi$
	zx	$\left(\frac{15}{4\pi}\right)^{1/2} \cos\theta\sin\theta\cos\phi$
	$x^2 - y^2$	$\left(\frac{15}{16\pi}\right)^{1/2} \sin^2\theta\sin 2\phi$
	z^2	$\left(\frac{5}{16\pi}\right)^{1/2} (3\cos^2\theta - 1)$

Note: In each case, $a_0 = 4\pi\varepsilon_0{}^2/m_e e^2$, or close to 52.9 pm; for hydrogen itself, $Z = 1$.
*In all cases except $m_l = 0$, the orbitals are sums and differences of orbitals with specific values of m_l.

Pictures of Wavefunctions: Orbitals





What next? If waves can mimic particles, then particles can mimic waves

Louis de Broglie 1892-1987
Nobel Prize 1929
"for his discovery of the wave nature of electrons"

Light: $E = h\nu$ (Planck)

Mass: $E = mc^2$ (Einstein)

then

$h\nu = h(c/\lambda) = mc^2$ (de Broglie)

Light = Matter

Two seemingly incompatible conceptions can each represent an aspect of the truth ... They may serve in turn to represent the facts without ever entering into direct conflict. ***de Broglie, Dialectica***

Time Scales of Photochemistry



Vision: Early theories of light were theories of vision.
Photosynthesis: Life requires the capture, storage and release of the sun's ener

Wald

Calvin

Marcus

Nobel in Medicine

Mechanism of Vision

Nobels in Chemistry

Mechanism of Photosynthesis





Energy Scales: Why the visible region works for vision

Ultraviolet Region
Chemical Bonds of DNA and Proteins Damaged

Infrared Region
Chemical Bonds Energy too low to make or break chemical bonds.



400 nm
71.5 kcal/mol

500 nm
57.2 kcal/mol

700 nm
40.8 kcal/mol

Huge energies per photon.

Themal energies at room temperature ca 1 kcal/mole

Tiny energies per photon.

X-Rays
0.1 nm
300,000 kcal/mol

Microwaves
1,000,000 nm
0.03 kcal/mol

The photochemical change which triggers vision.
A simple cis-trans isomerization: rotation about a double bond.

cis = same side

trans = opposite side



cis-retinal

trans-retinal


RED LIGHT REFLECTED TO EYE
VISIBLE LIGHT
TRANS-RETINAL
11-CIS-RETINAL
HOW THE EYE PERCEIVES LIGHT



Mr. Paradigm:
Thomas Kuhn. 1923-1996.

***Paradigm*: A characteristic set of beliefs and/or preconceptions (theoretical, instrumental, procedural and metaphysical) that is shared by a community of practitioners. In a global sense the paradigm embraces all of the shared commitments of a scientific group. An accepted paradigm is what defines a scientific community or discipline.**





A chemist's view of the gaseous fuel, methane. He/she thinks of a molecule of methane as a 3 dimensional geometric object consisting of a carbon atom connected to 4 hydrogens atoms that are directed toward the verticies of a tetrahedron. The tiniest amount of methane contains zillions of these guys.



H. Kolbe

1818-1884

"In a recently published paper, I pointed out that one of the causes of the present regression of chemical research in Germany is the lack of general, and at the same time thorough chemical knowledge; no small number of our professors of chemistry, with great harm to our science, are laboring under this lack. A consequence of this is the spread of the weed of the apparently scholarly and clever, but actually trivial and stupid, natural philosophy, which was displaced fifty years ago by exact science, but which is now brought forth again, out of the store room harboring the errors of the human mind; by pseudoscientists who try to smuggle it, like a fashionably dressed and freshly rouged prostitute, into good society, where it does not belong."

H. Kolbe, "A Sign of the Times"
J. Prakt. Chem., **15**, 474 (1877).

J. H. van't Hoff
(1852-1911)
First Nobel Prize,
Chemistry, 1901

“A Dr. J. H. van't Hoff, of the Veterinary School at Utrecht, has no liking, apparently, for exact chemical investigation. He has considered it more comfortable to mount Pegasus (apparently borrowed from the Veterinary School) and to proclaim in his book how the atoms appear to him to be arranged in space, when he is on the chemical Mt. Parnassus which he has reached by bold flight.”

H. Kolbe, “A Sign of the Times
***J. Prakt. Chem.*, 15, 474 (1877).**



Max Planck
Nobel Prize, Physics, 1918,
"for the discovery of energy quanta".

"New scientific truth usually becomes accepted, not because its opponents become convinced, but *because opponents gradually die* and because the rising generations are familiar with the new truth at the outset."

M. Planck,
Naturwissenschaften,
***33*, 230 (1946).**

Flow Diagram for Normal Science





Flow diagram for revolutionary science:Extraordinary claims that become accepted and are integrated into "normal science."

Flow diagram for revolutionary science:
Extraordinary claims that become accepted and are integrated into "normal science."

NOBEL PRIZE

SCIENTIFIC REVOLUTION

CRISIS

ANOMALIES

REVOLUTIONARY SCIENCE

NEW PARADIGM

PARADIGM REINFORCED

RESISTANT PUZZLES

NORMAL SCIENCE

YES

NO

CONVENTIONAL PARADIGMS

GENERATE PUZZLES

SOLVE PUZZLES?